



- ☐ Pending
☒ Active
- ☒ L1: (260) (drv\$3 with (piezoelectric with transformer
 - ☒ L2: (278) (drv\$3 with (piezoelectric with transformer
 - ☒ L3: (159) 2 and ((detect\$3 or sens\$3) same output)
 - ☒ L4: (29) 2 and ((detect\$3 or sens\$3) same lamp)
 - ☒ L5: (27) 4 and control\$4 and frequency and power
 - ☒ L6: (143) 3 and control\$4 and frequency and power
 - ☒ L7: (55) 6 and rectangular
 - ☒ L8: (44) 6 and ((rectangular or square) same wave\$4)
 - ☒ L9: (12) 8 and (time near2 ratio)
 - ☒ L10: (23) 8 and ((time near2 ratio) or (duty adj cycle)
 - ☒ L11: (23) 7 and ((time near2 ratio) or (duty adj cycle)
 - ☒ L12: (88) 6 and ("315"/\$ccls. or "310"/\$ccls.)
 - ☒ L13: (25) 7 and ((time near2 ratio) or (duty adj cycle)
 - ☒ L14: (21) 13 and ("315"/\$ccls. or "310"/\$ccls.)
- ☐ Failed
☐ Saved
☐ Favorites
☐ Tagged (0)
☐ UDC
☐ Queue
☐ Trash

DBs: US-PGPUB, USPAT, EPO, JPO, DERWENT

Default operator: DR

☒ Basic

☒ Highlight all but terms already

BEST AVAILABLE COPY

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Er/Err
1	BRS	L1	260	(drv\$3 with (piezoelectric with transformer)) and primary and secondary and (load or lamp)	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/04 13:38		
2	BRS	L2	278	(drv\$3 with (piezoelectric with transformer)) and primary and secondary and (load or lamp or (cold adj cathode))	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/04 13:39		
3	BRS	L3	159	2 and ((detect\$3 or sens\$3) same output)	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/04 13:40		
4	BRS	L4	29	2 and ((detect\$3 or sens\$3) same lamp)	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/04 13:40		
5	BRS	L5	27	4 and control\$4 and frequency and power	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/04 13:41		
6	BRS	L6	143	3 and control\$4 and frequency and power	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/04 13:41		
7	BRS	L7	55	6 and rectangular	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/04 14:18		
8	BRS	L8	44	6 and ((rectangular or square) same wave\$4)	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/04 13:42		
9	BRS	L9	12	8 and (time near2 ratio)	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/04 14:07		
10	BRS	L10	23	8 and ((time near2 ratio) or (duty adj cycle))	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/04 14:17		
11	BRS	L11	23	7 and ((time near2 ratio) or (duty adj cycle))	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/04 14:22		
12	BRS	L12	88	6 and ("315"/\$ccls. or "310"/\$ccls.)	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/04 14:22		
13	BRS	L13	25	7 and ((time near2 ratio) or (duty adj cycle) or (duty adj factor))	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/04 14:22		
14	BRS	L14	21	13 and ("315"/\$ccls. or "310"/\$ccls.)	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/04 14:28		

☒ Hits ☐ Details ☒ HTML

Ready

MEM

EAST - [EAST_Text.wsp:1]

File View Edit Tools Window Help

☐ Pending
☒ Active
 L1: (1711) ((driv\$3 or control\$4) same (piezoelectric
 L2: (370) 1 and primary and secondary
 L4: (129) 2 and ((detect\$3 or sens\$3) same (load or
 L5: (101) 4 and (pulse or (rectangular adj waveform))
 L6: (76) 5 and frequency and period
 L7: (72) 6 and ratio
 L8: (140) 2 and ((detect\$3 or sens\$3) same (load or
 L9: (105) 8 and (pulse or (rectangular adj waveform))
 L10: (78) 9 and frequency and period
 L11: (74) 10 and ratio
☐ Failed
☒ Saved
☐ Favorites
☐ Tagged (0)
☐ UDC
☐ Queue
☐ Trash

DBs: US-PGPUB, USPAT, EPO, JPO, DERWENT

Default generator: DR

☒ Burst
☒ Highlight all hit terms exactly

BEST AVAILABLE COPY

☒ BRS form
☒ ISSR form
☐ Image
☐ Text
☐ HTML

	Type	L#	Hits	Search Text	DBs	Time Stamp	Comments	Er	Err
1	BRS	L1	1711	((driv\$3 or control\$4) same (piezoelectric near2 transformer))	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/01 10:25			
2	BRS	L2	370	1 and primary and secondary	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/01 10:26			
3	BRS	L4	129	2 and ((detect\$3 or sens\$3) same (load or lamp))	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/01 10:29			
4	BRS	L5	101	4 and (pulse or (rectangular adj waveform))	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/01 10:30			
5	BRS	L6	76	5 and frequency and period	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/01 10:30			
6	BRS	L7	72	6 and ratio	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/01 10:30			
7	BRS	L8	140	2 and ((detect\$3 or sens\$3) same (load or lamp or (cold adj cathode)))	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/01 10:29			
8	BRS	L9	105	8 and (pulse or (rectangular adj waveform))	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/01 10:30			
9	BRS	L10	78	9 and frequency and period	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/01 10:30			
10	BRS	L11	74	10 and ratio	US-PGPUB, USPAT, EPO, JPO, DERWENT	2005/03/01 11:08			

Drafts

5 BRS

⌚ Pending

Active

☛ L1. (370) ((dmv33 or controlS4) same (piezoelectric near

• L2: (193) 1 and (detectS3 or sensS3)

→ L3: (100) 2 and frequency and period

④ L4: (90) 3 and (pulse or rectangular)

③ L5: (80) 4 and ratio

Failed

 Saved

Favorites

Tagged (0)



 Queue

 Trash

				5
DB	US	AGPUB	USFAT	EPC
				PO
				DERIVENT

DB: { US, AGRUE, USPAT, EPO, JPO, DERIVENT

Default operator: OR

▼ Platz

✓ ପ୍ରତ୍ୟେକ ଶିକ୍ଷକ ତାହାର ଶ୍ରେଣୀରେ

BEST AVAILABLE COPY

Introduction	IS/SP Form	Image	Text	H15K
--	--	---	--	--

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Er	Error
1	BRS	L1	370	((driv\$3 or control\$4) same (piezoelectric near2 transformer)) and primary and secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/28 16:14			
2	BRS	L2	193	1 and (detect\$3 or sens\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/28 16:14			
3	BRS	L3	100	2 and frequency and period	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/28 16:16			
4	BRS	L4	90	3 and (pulse or rectangular)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/28 16:17			
5	BRS	L5	80	4 and ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/28 16:31			

	Hex		Extruded		STEEL
---	-----	---	----------	---	-------

Результаты

生生